


# PRODUCT OVERVIEW



PRODUCTS AND VARIANTS  
FOR FURNITURE



1



## TIEDOWN/ TIEDOWN




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1863-999	round rod, Ø 6.0 mm	on rolls	6.0	6.0	25.0	✓		PP/PVC		150 m
1863	round rod, Ø 6.0 mm	*	6.0	6.0	25.0		✓	PP/PVC		
1861-999	round rod, Ø 6.0 mm	on rolls	6.0	6.0	40.0	✓		PP/PVC		100 m
1861	round rod, Ø 6.0 mm	*	6.0	6.0	40.0		✓	PP/PVC		
1860-999	round rod, Ø 6.0 mm	on rolls	6.0	6.0	15.0	✓		PP/PVC		200 m
1860	round rod, Ø 6.0 mm	*	6.0	6.0	15.0		✓	PP/PVC		
1853-999	round rod, Ø 5.0 mm	on rolls	5.0	5.0	25.0	✓		PP/PVC		150 m
1853	round rod, Ø 5.0 mm	*	5.0	5.0	25.0		✓	PP/PVC		
1851-999	round rod, Ø 5.0 mm	on rolls	5.0	5.0	40.0	✓		PP/PVC		100 m
1851	round rod, Ø 5.0 mm	*	5.0	5.0	40.0		✓	PP/PVC		
1850-999	round rod, Ø 5.0 mm	on rolls	5.0	5.0	15.0	✓		PP/PVC		200 m
1850	round rod, Ø 5.0 mm	*	5.0	5.0	15.0		✓	PP/PVC		
1831-999	round rod, Ø 5.0 mm	on rolls	5.0	5.0		✓		PVC		200 m
1831	round rod, Ø 5.0 mm	*	5.0	5.0			✓	PVC		
2795-916	round rod, Ø 4.0 mm	on rolls	4.0	4.0	17.5		✓	PP/PVC		500 m
2799-000	round rod, Ø 5.0 mm	on rolls	5.0	5.0	13.5		✓	PP		600 m

2



## TIEDOWN/ TIEDOWN




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2781	oval rod, 5.2 x 4.0 mm	*	5.2	4.0	*		✓	PP		200 m
2781-915	oval rod, 5.2 x 4.0 mm	on rolls	5.2	4.0	15.0	✓		PP		200 m
2781-920	oval rod, 5.2 x 4.0 mm	on rolls	5.2	4.0	20.0		✓	PP		200 m
2781-925	oval rod, 5.2 x 4.0 mm	on rolls	5.2	4.0	25.0	✓		PP		200 m
2781-930	oval rod, 5.2 x 4.0 mm	on rolls	5.2	4.0	30.0		✓	PP		150 m
2781-935	oval rod, 5.2 x 4.0 mm	on rolls	5.2	4.0	35.0		✓	PP		150 m
2781-940	oval rod, 5.2 x 4.0 mm	on rolls	5.2	4.0	40.0	✓		PP		200 m
2781-960	oval rod, 5.2 x 4.0 mm	on rolls	5.2	4.0	60.0		✓	PP		100 m
2781-975	oval rod, 5.2 x 4.0 mm	on rolls	5.2	4.0	75.0		✓	PP		200 m
3781	oval rod, 5.2 x 4.0 mm	*	5.2	4.0	*		✓	PP		
3781-915	oval rod, 5.2 x 4.0 mm	on rolls	5.2	4.0	15.0		✓	PP		500 m

3



## TIEDOWN/ TIEDOWN



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
3860	oval rod, 6.4 x 5.8 mm	*	6.4	5.8	*		✓	PP		
3860-915	oval rod, 6.4 x 5.8 mm	on rolls	6.4	5.8	15.0		✓	PP		200 m

### LEGEND


\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven



4



## TIEDOWN/ TIEDOWN



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
3861	oval rod, 5.8 x 6.4 mm	*	6.4	5.8	*		✓	PP		
3861-940	oval rod, 5.8 x 6.4 mm	on rolls	6.4	5.8	40.0		✓	PP		100 m
3862	oval rod, 5.8 x 6.4 mm	*	6.4	5.8	*		✓	PP		
3862-920	oval rod, 5.8 x 6.4 mm	on rolls	6.4	5.8	20.0		✓	PP		300 m
3863	oval rod, 5.8 x 6.4 mm	*	6.4	5.8	*		✓	PP		
3863-925	oval rod, 5.8 x 6.4 mm	on rolls	6.4	5.8	25.0		✓	PP		300 m
3671	oval rod, 5.1 x 6.4 mm	*	6.4	5.1	*		✓	PP		
3671-999	oval rod, 5.1 x 6.4 mm	on rolls	6.4	5.1	25.0		✓	PP		300 m

5




## TIEDOWN/ TIEDOWN



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2794	anchor rod, Ø 4x5.1 mm	*	5.1	4.0	*		✓	PP		
2794-915	anchor rod, Ø 4x5.1 mm	on rolls	5.1	4.0	15.0	✓		PP		200 m
2794-920	anchor rod, Ø 4x5.1 mm	on rolls	5.1	4.0	20.0		✓	PP		500 m
2794-925	anchor rod, Ø 4x5.1 mm	on rolls	5.1	4.0	25.0		✓	PP		200 m
2794-930	anchor rod, Ø 4x5.1 mm	on rolls	5.1	4.0	30.0		✓	PP		200 m
2794-940	anchor rod, Ø 4x5.1 mm	on rolls	5.1	4.0	40.0	✓		PP		150 m
2794-970	anchor rod, Ø 4x5.1 mm	on rolls	5.1	4.0	70.0		✓	PP		200 m
3604	anchor rod, Ø 4.5x5.4 mm	*	5.4	4.5	*		✓	PP		
3604-000	anchor rod, Ø 4.5x5.4 mm	1,200	5.4	4.5	20.0	✓		PP		400 pcs.
3604-005	anchor rod, Ø 4.5x5.4 mm	1,200	5.4	4.5	40.0		✓	PP		300 pcs.
3604-006	anchor rod, Ø 4.5x5.4 mm	1,200	5.4	4.5	15.0		✓	PP		400 pcs.
3604-009	anchor rod, Ø 4.5x5.4 mm	1,200	5.4	4.5	80.0		✓	PP		200 pcs.
3604-491	anchor rod, with marks/cuts	490	5.4	4.5	40.0		✓	PP		1,000 pcs
3604-915	anchor rod, Ø 4.5x5.4 mm	on rolls	5.4	4.5	15.0	✓		PP		600 m
3604-920	anchor rod, Ø 4.5x5.4 mm	on rolls	5.4	4.5	20.0			PP		600 m
3604-925	anchor rod, Ø 4.5x5.4 mm	on rolls	5.4	4.5	25.0		✓	PP		500 m
3604-955	anchor rod, Ø 4.5x5.4 mm	on rolls	5.4	4.5	55.0		✓	PP		250 m
3605	anchor rod, Ø 4.5x5.3 mm	*	5.3	4.5	*		✓	PP		
3605-920	anchor rod, Ø 4.5x5.3 mm	on rolls	5.3	4.5	20.0		✓	PP		400 m
3610	anchor rod, Ø 4x5.1 mm	*	5.1	4.0	*		✓	PP		
3610-000	anchor rod, Ø 4x5.1 mm	1,200	5.1	4.0	50.0		✓	PP		200 pcs.
3694	anchor rod, Ø 5.5x6.6 mm	*	6.6	5.5	*		✓	PP		
3694-000	anchor rod, Ø 5.5x6.6 mm	1,200	6.6	5.5	15.0	✓	✓	PP		250 pcs.
3694-001	anchor rod, Ø 5.5x6.6 mm	1,200	6.6	5.5	20.0			PP		300 pcs.
3694-0012	anchor rod, Ø 5.5x6.6 mm	1,200	6.6	5.5	80.0		✓	PP		250 pcs.
3694-0013	anchor rod, Ø 5.5x6.6 mm	1,200	6.6	5.5	50.0		✓	PP		200 pcs.
3694-002	anchor rod, Ø 5.5x6.6 mm	1,200	6.6	5.5	25.0		✓	PP		300 pcs.
3694-003	anchor rod, Ø 5.5x6.6 mm	1,200	6.6	5.5	30.0		✓	PP		200 pcs.
3694-010	anchor rod, Ø 5.5x6.6 mm	1,200	6.6	5.5	40.0		✓	PP		200 pcs.
3694-019	anchor rod, Ø 5.5x6.6 mm	1,200	6.6	5.5	60.0		✓	PP		200 pcs.
3694-020	anchor rod, Ø 5.5x6.6 mm	1,200	6.6	5.5	35.0		✓	PP		250 pcs.
3694-036	anchor rod, Ø 5.5x6.6 mm	1,200	6.6	5.5	55.0		✓	PP		200 pcs.
3694-994	anchor rod, Ø 5.5x6.6 mm	on rolls	6.6	5.5	25.0		✓	PP		300 m
3694-996	anchor rod, Ø 5.5x6.6 mm	on rolls	6.6	5.5	15.0		✓	PP		500 m
3694-997	anchor rod, Ø 5.5x6.6 mm	on rolls	6.6	5.5	40.0		✓	PP		250 m
3694-998	anchor rod, Ø 5.5x6.6 mm	on rolls	6.6	5.5	30.0		✓	PP		350 m

6



## TIEDOWN/ TIEDOWN



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
3697	anchor rod, with double non-woven flange	*	6.6	5.6	*		✓	PP		
3697-001	anchor rod, with double non-woven flange	1,200	6.6	5.6	60.0		✓	PP		100 pcs.
3697-002	anchor rod, with double non-woven flange	1,200	6.6	5.6	20.0		✓	PP		100 pcs.

7



## TIEDOWN/ TIEDOWN




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
42000	with wire core, Ø 2 mm	*	4.0	4.0	*		✓	PP/wire		
42027-999	with wire core, Ø 2 mm	on rolls	4.0	4.0	27.0		✓	PP/wire		200 m
42016-000	with wire core, Ø 2 mm	1,200	4.0	4.0	17.0		✓	PP/wire		300 pcs.
42025-000	with wire core, Ø 2 mm	1,200	4.0	4.0	25.0	✓		PP/wire		250 pcs.
42080-507	with wire core, Ø 2 mm	2,000	4.0	4.0	20.0	✓		PP/wire		150 pcs.
42080-510	with wire core, Ø 2 mm, with long holes	1,500	4.0	4.0	22.0	✓		PP/wire		250 pcs.

8



## SINGLE TUFTING STRIP/ PUNKTABHEFTSTEG



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
27860-120	with firmly attached non-woven flange	15	60.00	2.5	120.0		✓	PP		1,000 pcs.
27860-180	with firmly attached non-woven flange	15	60.00	2.5	180.0		✓	PP		500 pcs.
27860-220	with firmly attached non-woven flange	15	60.00	2.5	220.0		✓	PP		1,000 pcs.
27840-120	with firmly attached non-woven flange	15	40.00	2.5	120.0	✓		PP		1,000 pcs.
27840-180	with firmly attached non-woven flange	15	40.00	2.5	180.0		✓	PP		500 pcs.
27840-220	with firmly attached non-woven flange	15	40.00	2.5	220.0		✓	PP		1,000 pcs.

9



## FLUTING STRIP/ EINZUG-STECKSTREIFEN











NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2785	just set across, without counter-bar	*	40.00	2.0	*		✓	PP		
2785-946	just set across, without counter-bar	on rolls	40.00	2.0	45.0		✓	PP		100 m
2785-046	just set across, without counter-bar	1,200	40.00	2.0	45.0	✓		PP		75 pcs.
2785-063	just set across, without counter-bar	1,200	40.00	2.0	63.0	✓		PP		75 pcs.


### LEGEND

\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven










NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2785-073	just set across, without counter-bar	on rolls	40.00	2.0	73.0		✓	PP		75 m
2785-074	just set across, without counter-bar	1,200	40.00	2.0	73.0		✓	PP		75 pcs.
2785-093	just set across, without counter-bar	1,200	40.00	2.0	93.0	✓		PP		75 pcs.
2785-099	just set across, without counter-bar	on rolls	40.00	2.0	93.0		✓	PP		50 m
2785-113	just set across, without counter-bar	on rolls	40.00	2.0	113.0	✓		PP		50 m
2785-114	just set across, without counter-bar	1,200	40.00	2.0	113.0		✓	PP		75 pcs.
2785-132	just set across, without counter-bar	on rolls	40.00	2.0	133.0		✓	PP		50 m
2785-133	just set across, without counter-bar	1,200	40.00	2.0	133.0	✓		PP		75 pcs.

10



## FLUTING STRIP/ EINZUG-STECKSTREIFEN




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2792	just set across, without counter-bar	*	60.00	1.5	*		✓	PP		
2792-092	just set across, without counter-bar	1,200	60.00	1.5	93.0		✓	PP		75 pcs.
2792-601	just set across, without counter-bar	1,200	60.00	1.5	120.0	✓		PP		60 pcs.
2792-913	just set across, without counter-bar	on rolls	60.00	1.5	125.0		✓	PP		50 m
2792-914	just set across, without counter-bar	on rolls	60.00	1.5	145.0		✓	PP		50 m
2792-918	just set across, without counter-bar	on rolls	60.00	1.5	180.0		✓	PP		50 m
2792-999	just set across, without counter-bar	on rolls	60.00	1.5	115.0	✓		PP		50 m

11



## BLIND STAPLE PROFILE/ BLINDHEFTPROFIL






NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2148-060	single piping, finishing without sewing	1,200	28.00	8.0		✓		PE		125 pcs.

12



## BLIND SEAM PROFILE/ BLINDNAHTPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2142-070	for single piping, finish to sew in	on rolls	9.60	7.0			✓	PE		200 m
2142-050	for single piping, finish to sew in	on rolls	9.60	5.0		✓		PE		200 m

13




## BLIND SEAM PROFILE/ BLINDNAHTPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2140-071	also for double pipings, Ø 7 mm	on rolls	11.6	7.0		✓		PE		200 m
2140-051	also for double pipings, Ø 5 mm	on rolls	8.90	5.0		✓		PE		300 m
2140-041	also for double pipings, Ø 4 mm	on rolls	7.20	4.0		✓		PE		300 m

14

## BLIND SEAM PROFILE/ BLINDNAHTPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1141-051	Ø 5 mm	1,200	23.00	5.0			✓	PVC		240 m
1140-042	Ø 4 mm	on rolls	9.00	4.0			✓	PVC		300 m
1139-051	Ø 5 mm	on rolls	10.30	5.0			✓	PE		200 m

15




## BLIND SEAM PROFILE/ BLINDNAHTPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5040-050	Ø 5 mm	on rolls	11.50	5.0		✓		PE		200 m

16



## FLAT STRIP/ FLACHBAND




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5003-999	as soft padding	on rolls	17.50	5.1			✓	PE		400 m

## LEGEND

\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven



17



## FLAT PROFILE/ FLACHPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5005-160	as soft padding	on rolls	16.00	3.5		✓		PE		400 m
5005-995	as soft padding	on rolls	14.00	2.0			✓	PE		500 m
5005-998	as soft padding	on rolls	16.00	4.5			✓	PE		1,000 m

18



## FLAT PROFILE/ FLACHPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5006-180	as soft padding	on rolls	18.00	5.0			✓	PE		300 m
5006-185	as soft padding	on rolls	18.00	5.0			✓	PE		300 m
5006-999	as soft padding	on rolls	18.00	5.0			✓	PE		300 m

19



## EDGE TRIM/ BOURLÉ



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5007-140	square hose piping, Ø 10.5 mm	on rolls	24.50	11.3		✓		PE		300 m
5007-170	square hose piping, Ø 10.5 mm	on rolls	27.50	13.0		✓		PE		180 m
5007-215	square hose piping, Ø 14.0 mm	on rolls	34.00	15.0			✓	PE		130 m

21



## EDGE TRIM/ BOURLÉ





NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5009-080	broad, round hose piping, Ø 12.5 mm	on rolls	20.50	8.0		✓		PE		400 m
5009-100	broad, round hose piping, Ø 11.5 mm	on rolls	21.50	10.0		✓		PE		400 m
5009-120	broad, round hose piping, Ø 11.0 mm	on rolls	23.00	11.0		✓		PE		270 m
5009-140	broad, round hose piping, Ø 13.0 mm	on rolls	27.00	14.0		✓		PE		240 m
5009-160	broad, round hose piping, Ø 12.0 mm	on rolls	28.00	14.5		✓		PE		180 m
5009-180	broad, round hose piping, Ø 13.5 mm	on rolls	31.50	18.0		✓		PE		130 m
5009-200	broad, round hose piping, Ø 14.0 mm	on rolls	34.00	19.0		✓		PE		125 m
5009-220	broad, round hose piping, Ø 13.5 mm	on rolls	35.50	21.0			✓	PE		95 m
5009-250	broad, round hose piping, Ø 14.0 mm	on rolls	39.00	23.0		✓		PE		75 m

22



## EDGE TRIM/ BOURLÉ





NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5010-120	hose piping for strong curvature, Ø 10.5 mm	on rolls	22.50	12.0			✓	PE		300 m
5010-150	hose piping for strong curvature, Ø 13.5 mm	on rolls	28.50	15.0			✓	PE		200 m
5010-190	hose piping for strong curvature, Ø 15.0 mm	on rolls	34.00	19.0		✓		PE		150 m
5010-250	hose piping for strong curvature, Ø 12.0 mm	on rolls	37.00	25.0			✓	PE		90 m
5010-320	hose piping for strong curvature, Ø 12.5 mm	on rolls	44.50	32.0			✓	PE		70 m

23



## EDGE TRIM/ BOURLÉ



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5011-100	extremely soft and light-weight	100	30.00	25.0			✓	PE		500 pcs.
5011-150	extremely soft and light-weight	on rolls	15.00	10.0		✓		PE		400 m
5011-200	extremely soft and light-weight	on rolls	20.00	15.0			✓	PE		100 m
5011-301	extremely soft and light-weight	2,000	30.00	20.0		✓		PE		120 m
5011-302	extremely soft and light-weight	2,000	30.00	25.0		✓		PE		80 m
5011-401	extremely soft and light-weight	2,000	40.00	15.0		✓		PE		120 m
5011-402	extremely soft and light-weight	2,000	40.00	25.0			✓	PE		60 m
5011-500	extremely soft and light-weight	2,000	50.00	25.0			✓	PE		60 m

### LEGEND

- \* on request
  - IP individual production
  - STOCK item on stock
  - PU production unit
- All dimensions in mm, without non-woven





24



## EDGE TRIM/ BOURLÉ



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5012-180	for very wide edges, Ø 12.0 mm	on rolls	33.00	18.0		✓		PE		130 m
5012-250	for very wide edges, Ø 10.0 mm	on rolls	33.00	25.0		✓		PE		100 m
5012-330	for very wide edges, Ø 18.0 mm	on rolls	38.00	33.0		✓		PE		75 m

25



## FOAMFLEX/ FOAMFLEX




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5014-250	for metal sheets	on rolls	25.00	16.0			✓	PE		200 m

26



## FOAMFLEX PIPING CORD/ FOAMFLEX-SCHNUR



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5015-030	Ø 3.0 mm	on rolls	3.00	3.0		✓		PE		1,500 m
5015-040	Ø 4.0 mm	on rolls	4.00	4.0		✓		PE		800 m
5015-050	Ø 5.0 mm	on rolls	5.00	5.0		✓		PE		500 m
5015-060	Ø 6.0 mm	on rolls	6.00	6.0		✓		PE		400 m
5015-070	Ø 7.0 mm	on rolls	7.00	7.0			✓	PE		300 m
5015-080	Ø 8.0 mm	on rolls	8.00	8.0		✓		PE		200 m
5015-100	Ø 10.0 mm	on rolls	10.00	10.0			✓	PE		100 m

27




## EDGE TRIM/ BOURLÉ




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5209-080	Ø 10.5 mm	on rolls	18.50	8.0		✓		PE		400 m
5209-090	Ø 11.5 mm	on rolls	20.50	9.0			✓	PE		400 m
5209-100	Ø 11.5 mm	on rolls	21.50	10.0		✓		PE		400 m
5209-110	Ø 13.0 mm	on rolls	24.00	11.0		✓		PE		300 m
5209-120	Ø 11.0 mm	on rolls	23.00	11.0		✓		PE		270 m
5209-140	Ø 13.0 mm	on rolls	27.00	14.0		✓		PE		200 m
5209-160	Ø 12.0 mm	on rolls	28.00	14.5		✓		PE		180 m

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5209-170	Ø 14.0 mm	on rolls	31.00	16.5			✓	PE		180 m
5209-180	Ø 13.5 mm	on rolls	31.50	18.0		✓		PE		130 m
5209-200	Ø 14.0 mm	on rolls	34.00	19.0		✓		PE		125 m
5209-220	Ø 13.5 mm	on rolls	35.50	22.0			✓	PE		95 m
5209-250	Ø 14.0 mm	on rolls	39.00	24.0			✓	PE		75 m

28



FOAMFLEX/  
FOAMFLEX



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5212-603	triangle profile	2,000	60.00	30.0			✓	PE		30 pcs.

29



FLAT PROFILE/  
FLACHPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5502-000	as soft padding	1,200	22.00	3.2		✓		PP		200 pcs.
5503-001	as soft padding	1,200	13.00	3.8			✓	PP		100 pcs.
5505-001	as soft padding	1,200	13.00	4.3			✓	PP		150 pcs.
5505-999	as soft padding	on rolls	13.00	4.3			✓	PP		500 m
5509-000	as soft padding	1,200	15.00	5.3		✓		PP		250 pcs.
5509-002	as soft padding	on rolls	15.00	5.3			✓	PP		500 m
5512-000	as soft padding	1,200	20.00	3.2			✓	PP		300 pcs.
5514-S000	as soft padding	1,200	16.00	2.5			✓	PP		200 pcs.
5516-997	as soft padding	on rolls	16.00	2.5			✓	PP		400 m
5519-000	as soft padding	1,200	19.00	2.5			✓	PP		300 pcs.
5533-999	as soft padding	on rolls	16.00	3.2			✓	PP		300 m

30



DOWEL /  
DÜBEL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4240-000	Ø 5.0 mm	-	24.50	11.2			✓	PA6		10,000 pcs.

LEGEND

\* on request  
IP individual production  
STOCK item on stock  
PU production unit


All dimensions in mm, without non-woven



31



## DOWEL / DÜBEL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4247-030	short, Ø 8.2 mm	-	15.80	30.0		✓		PP		5,000 pcs.
4247-040	long, Ø 8.2 mm	-	15.80	40.0		✓		PP		5,000 pcs.
4247-055	double dowel, Ø 8.2 mm	-	15.80	55.0			✓	PP		3,000 pcs.


32



## DOWEL / DÜBEL

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6248-032	Dowel Ø 8.0 mm	-	32.00	8.0			✓	PP		5,000 pcs.

33



## ROUND GLIDE / RUNDGLEITER



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4546-163	for 8 mm bore, Ø 46 mm	-	46.00	16.0		✓		PP		2,500 pcs.
4546-253	for 8 mm bore, Ø 46 mm	-	46.00	25.0		✓		PP		1,600 pcs.
4550-353	for 8 mm bore, Ø 50 mm	-	50.00	35.0		✓		PP		1,000 pcs.
4550-503	for 8 mm bore, Ø 50 mm	-	50.00	50.0		✓		PP		700 pcs.

34




## CHAIR GLIDE / STUHLGLEITER



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4551-001	for oval chair legs		62.00	14.5		✓		PP		1,500 pcs.

35



## ROUND GLIDE/ RUNDGLEITER

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4646-163	for 8 mm pin, Ø 46 mm	-	46.00	16.0		✓		PP		2,000 pcs.
4646-253	for 8 mm pin, Ø 46 mm	-	46.00	25.0		✓		PP		1,200 pcs.
4650-353	for 8 mm pin, Ø 50 mm	-	50.00	35.0		✓		PP		800 pcs.
4655-503	for 8 mm pin, Ø 55 mm	-	55.00	50.0		✓		PP		500 pcs.

36



## ROUND GLIDE/ RUNDGLEITER

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6205-203	Ø 20.0 mm	-	20.00	3.0			✓	PP		1,000 pcs.

37



## NAIL GLIDE/ NAGELGLEITER

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6219-153	for robust floorings, Ø 15.0 mm	-	15.00	-			✓	PP		1,000 pcs.
6219-154	for robust floorings, Ø 15.0 mm	-	15.00	-			✓	PP		1,000 pcs.
6220-341	for robust floorings, Ø 20.0 mm	-	20.00	-		✓		PP		5,000 pcs.
6220-342	for robust floorings, Ø 20.0 mm	-	20.00	-			✓	PP		500 pcs.
6220-343	for robust floorings, Ø 20.0 mm	-	20.00	-			✓	PP		5,000 pcs.

38



## NAIL GLIDE/ NAGELGLEITER

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6223-304	for robust floorings, Ø 30.0 mm	-	30.00	5.5			✓	PVC		100 pcs.
6223-310	for robust floorings, Ø 25.0 mm	-	25.00	-			✓	PVC		250 pcs.

### LEGEND



\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven



39




## FELT GLIDE/ FILZGLEITER




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6226-342	for sensitive floorings, Ø 20.0 mm	-	20.00	9.0			✓	PP/felt		5,000 pcs.
6226-343	for sensitive floorings, Ø 28.0 mm	-	28.00	10.0			✓	PP/felt		5,000 pcs.

40



## TRIANGULAR GLIDE/ DREIECKGLEITER




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4665-153	for stapling	-		15.0			✓	PP		1,600 pcs.
4665-253	for stapling	-		25.0			✓	PP		1,300 pcs.
4665-353	for stapling	-		35.0			✓	PP		800 pcs.

41



## WASHER/ UNTERLEGSCHIEBE




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4605-001	for round glide, Ø 52 mm	-	52.00	2.0			✓	PP		3,000 pcs.

42




## WASHER/ UNTERLEGSCHIEBE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4605-553	for 4 mm height compensation	-	55.00	4.0			✓	PP		3,000 pcs.

43



## WASHER/ UNTERLEGSCHIEBE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4605-002	for height compenstation, Ø 53 mm	-	53.00	1.5			✓	PP		3,000 pcs.
6240-033	for height compenstation, Ø 33 mm	-	33.00	4.0		✓		PP		5,000 pcs.
6241-031	for height compenstation, Ø 33 mm	-	33.00	1.0			✓	PP		5,000 pcs.
6241-033	for height compenstation, Ø 33 mm	-	33.00	1.0			✓	PP		5,000 pcs.

44




## PLASTIC BELT/ KUNSTSTOFFGURT



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2010-604	with reinforcing threads	on rolls	56.00	1.5			✓	PE/PA		200 m
2010-605	with reinforcing threads	on rolls	56.00	1.5		✓		PE/PA		200 m

45



## PLASTIC BELT/ KUNSTSTOFFGURT




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2015-600	with guide grooves for safe stapling	on rolls	58.00	0.9			✓	PE		150 m
2015-606	with guide grooves for safe stapling	on rolls	60.00	1.0		✓		PE		150 m
2017-100	with guide grooves for safe stapling	on rolls	100.00	1.0			✓	PE		100 m

46



## FOAMFLEX LIGHT/ FOAMFLEX LIGHT



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5111-030	extremly soft and light-weight	2,000	30.00	15.0		✓		PE		960 m
5111-033	extremly soft and light-weight	2,000	30.00	20.0			✓	PE		700 m
5111-040	extremly soft and light-weight	2,000	40.00	20.0		✓		PE		440 m
5111-050	extremly soft and light-weight	2,000	50.00	25.0		✓		PE		320 m
5111-060	extremly soft and light-weight	2,000	60.00	30.0		✓		PE		220 m
5111-066	extremly soft and light-weight	2,000	66.00	23.0			✓	PE		320 m
5111-070	extremly soft and light-weight	2,000	70.00	35.0		✓		PE		160 m
5111-100	extremly soft and light-weight	2,000	100.00	50.0		✓		PE		80 m

## LEGEND


\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven



47



## FOAMFLEX LIGHT/ FOAMFLEX LIGHT



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5112-040	three-fourths profile	2,000	40.00	20.0			✓	PE		300 m

48

## FOAMFLEX LIGHT/ FOAMFLEX LIGHT

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5113-035	quarter profile	2,000	35.00	25.0			✓	PE		100 m

49

## CLAMPING PROFILE/ U-KLAMMER

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6002-001	13.5 x 5.0 mm	-	13.00	5.0			✓	steel		1,000 pcs.

50



## TUFTING TOGGLE/ ABHEFTSTEG

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6251-000	toggle width 25 mm	-	25.00	-		✓		PP		5,000 pcs.

51



## SPLIT BUTTON/ SPALTKNOPF

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6254-182	Ø 18 mm	-	18.00	-			✓	PP		2,000 pcs.
6254-271	Ø 27 mm	-	27.00	-			✓	PP		1,000 pcs.

52



## METAL UNIT CONNECTOR/ METALL-ELEMENTVERBINDER



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2287-038	avoid rattling noises	38	51.50	4.0			✓	PP		2,000 pcs.

53



## STEEL UNIT CONNECTOR/ STAHL-ELEMENTVERBINDER

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6280-120	flat, two parts	-	70,00	19,0		✓		steel		100 pcs.
6281-120	with angle, two parts	-	70,00	19,0			✓	steel		175 pcs.

54



## STEEL MULTI CONNECTOR/ STAHL-MULTI-VERBINDER

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6285-000	for connecting seat units	-	80.00	35,0		✓		steel		600 pcs.

55



## SPRING STEEL PLATE/ FEDERSTAHLPLATTE

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6286-006	for connecting 6 mm rod	-	60,50	20,0			✓	steel		1,000 pcs.
6286-008	for connecting 8 mm rod	-	60,50	20,0		✓		steel		1,000 pcs.

## LEGEND


\* on request  
IP individual production  
STOCK item on stock  
PU production unit

All dimensions in mm, without non-woven





56



## STEEL UNIT CONNECTOR/ STAHL-ELEMENTVERBINDER



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6287-002	for connecting seat units	-	98,00	48,0		✓		steel		150 paires

57



## TUFTING THREAD/ ABHEFTGARN

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6301-025	single loops	25	-	-		✓		polyester		1,000 pcs.
6301-030	single loops	30	-	-		✓		polyester		1,000 pcs.
6301-035	single loops	35	-	-			✓	polyester		1,000 pcs.
6301-040	single loops	40	-	-		✓		polyester		1,000 pcs.
6301-045	single loops	45	-	-			✓	polyester		1,000 pcs.
6301-050	single loops	50	-	-		✓		polyester		1,000 pcs.
6301-055	single loops	55	-	-			✓	polyester		1,000 pcs.
6301-060	single loops	60	-	-		✓		polyester		1,000 pcs.
6301-065	single loops	65	-	-			✓	polyester		1,000 pcs.
6301-070	single loops	70	-	-		✓		polyester		1,000 pcs.
6301-075	single loops	75	-	-			✓	polyester		1,000 pcs.
6301-080	single loops	80	-	-		✓		polyester		1,000 pcs.
6301-090	single loops	90	-	-		✓		polyester		1,000 pcs.
6301-100	single loops	100	-	-		✓		polyester		1,000 pcs.
6301-110	single loops	110	-	-		✓		polyester		1,000 pcs.
6301-120	single loops	120	-	-		✓		polyester		1,000 pcs.
6301-130	single loops	130	-	-		✓		polyester		1,000 pcs.
6301-140	single loops	140	-	-		✓		polyester		1,000 pcs.
6301-150	single loops	150	-	-		✓		polyester		1,000 pcs.
6301-160	single loops	160	-	-		✓		polyester		1,000 pcs.
6301-170	single loops	170	-	-		✓		polyester		1,000 pcs.
6301-180	single loops	180	-	-			✓	polyester		1,000 pcs.
6301-190	single loops	190	-	-			✓	polyester		1,000 pcs.
6301-200	single loops	200	-	-			✓	polyester		1,000 pcs.
6301-210	single loops	210	-	-			✓	polyester		1,000 pcs.
6301-220	single loops	220	-	-			✓	polyester		1,000 pcs.
6301-250	single loops	250	-	-			✓	polyester		1,000 pcs.
6301-260	single loops	260	-	-			✓	polyester		1,000 pcs.

58




## TUFTING THREAD/ ABHEFTGARN

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6304-001	yarn reel 1,000 m/roll	on rolls	2,00	-			✓	polyester		1,000 m
6310-001	extra-strong yarn reel, 300 m/roll	on rolls	1,00	-		✓		polyester		1 pcs.

59



## TUFTING TAPE/ ABHEFTBAND



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6370-020	short/long strip	20	-	-			✓	PA6/polyester		1,000 pcs.
6370-025	short/long strip	25	-	-			✓	PA6/polyester		1,000 pcs.
6370-030	short/long strip	30	-	-			✓	PA6/polyester		1,000 pcs.
6370-035	short/long strip	35	-	-			✓	PA6/polyester		1,000 pcs.
6370-040	short/long strip	40	-	-		✓		PA6/polyester		1,000 pcs.
6370-045	short/long strip	45	-	-			✓	PA6/polyester		1,000 pcs.
6370-050	short/long strip	50	-	-		✓		PA6/polyester		1,000 pcs.
6370-060	short/long strip	60	-	-		✓		PA6/polyester		1,000 pcs.
6370-070	short/long strip	70	-	-		✓		PA6/polyester		1,000 pcs.
6370-080	short/long strip	80	-	-		✓		PA6/polyester		1,000 pcs.
6370-090	short/long strip	90	-	-		✓		PA6/polyester		1,000 pcs.
6370-100	short/long strip	100	-	-		✓		PA6/polyester		1,000 pcs.
6370-110	short/long strip	110	-	-		✓		PA6/polyester		1,000 pcs.
6370-120	short/long strip	120	-	-		✓		PA6/polyester		1,000 pcs.
6370-130	short/long strip	130	-	-			✓	PA6/polyester		1,000 pcs.
6370-140	short/long strip	140	-	-			✓	PA6/polyester		1,000 pcs.
6370-150	short/long strip	150	-	-			✓	PA6/polyester		1,000 pcs.
6370-160	short/long strip	160	-	-			✓	PA6/polyester		1,000 pcs.
6370-170	short/long strip	170	-	-			✓	PA6/polyester		1,000 pcs.
6370-180	short/long strip	180	-	-			✓	PA6/polyester		1,000 pcs.
6370-200	short/long strip	200	-	-			✓	PA6/polyester		1,000 pcs.
6370-210	short/long strip	210	-	-			✓	PA6/polyester		1,000 pcs.

60



## TUFTING TAPE/ ABHEFTBAND














NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6375-020	long/long strip	20	-	-			✓	PA6/polyester		1,000 pcs.
6375-025	long/long strip	25	-	-			✓	PA6/polyester		1,000 pcs.
6375-030	long/long strip	30	-	-		✓		PA6/polyester		1,000 pcs.
6375-035	long/long strip	35	-	-			✓	PA6/polyester		1,000 pcs.
6375-040	long/long strip	40	-	-		✓		PA6/polyester		1,000 pcs.
6375-045	long/long strip	45	-	-			✓	PA6/polyester		1,000 pcs.
6375-050	long/long strip	50	-	-		✓		PA6/polyester		1,000 pcs.
6375-060	long/long strip	60	-	-		✓		PA6/polyester		1,000 pcs.
6375-070	long/long strip	70	-	-		✓		PA6/polyester		1,000 pcs.
6375-080	long/long strip	80	-	-		✓		PA6/polyester		1,000 pcs.
6375-085	long/long strip	85	-	-			✓	PA6/polyester		1,000 pcs.
6375-090	long/long strip	90	-	-		✓		PA6/polyester		1,000 pcs.
6375-100	long/long strip	100	-	-		✓		PA6/polyester		1,000 pcs.
6375-110	long/long strip	110	-	-		✓		PA6/polyester		1,000 pcs.
6375-120	long/long strip	120	-	-		✓		PA6/polyester		1,000 pcs.
6375-130	long/long strip	130	-	-		✓		PA6/polyester		1,000 pcs.
6375-140	long/long strip	140	-	-		✓		PA6/polyester		1,000 pcs.
6375-150	long/long strip	150	-	-		✓		PA6/polyester		1,000 pcs.
6375-160	long/long strip	160	-	-			✓	PA6/polyester		1,000 pcs.
6375-170	long/long strip	170	-	-			✓	PA6/polyester		1,000 pcs.

## LEGEND

\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit

All dimensions in mm, without non-woven





NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6375-180	long/long strip	180	-	-			✓	PA6/polyester		1,000 pcs.
6375-190	long/long strip	190	-	-			✓	PA6/polyester		1,000 pcs.
6375-200	long/long strip	200	-	-			✓	PA6/polyester		1,000 pcs.
6375-210	long/long strip	210	-	-			✓	PA6/polyester		1,000 pcs.
6375-220	long/long strip	220	-	-			✓	PA6/polyester		1,000 pcs.
6375-230	long/long strip	230	-	-			✓	PA6/polyester		1,000 pcs.
6375-240	long/long strip	240	-	-			✓	PA6/polyester		1,000 pcs.
6375-250	long/long strip	250	-	-			✓	PA6/polyester		1,000 pcs.
6375-260	long/long strip	260	-	-			✓	PA6/polyester		1,000 pcs.
6375-270	long/long strip	270	-	-			✓	PA6/polyester		1,000 pcs.
6375-280	long/long strip	280	-	-			✓	PA6/polyester		1,000 pcs.
6375-300	long/long strip	300	-	-			✓	PA6/polyester		1,000 pcs.
6377-400	long/long strip	400	-	-		✓		PA6/polyester		1,000 pcs.

61



## FASTENING PROFILE/ KLEMMPROFIL





NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2700-000	for metal sheets 1.5-2.5 mm	1,200	25.00	6.0	10.0		✓	PP		75 pcs.
2700-004	for metal sheets 1.5-2.5 mm	1,200	55.00	6.0	40.0		✓	PP		75 pcs.

62




## HOOK PROFILE/ HAKENPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2709-003	with non-woven flange	1,200	55.00	7.0	40.0		✓	PP		75 pcs.
2709-004	with non-woven flange	1,200	55.00	7.0	40.0		✓	PP		100 pcs.

63



## HOOK PROFILE/ HAKENPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2846-000	with non-woven flange	1,200	30.00	7.0	15.0		✓	PP		100 pcs.

64

## FASTENING PROFILE/ KLEMMPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2710-012	Ø 14.0 mm (inside)	1,200 mm	33.00	19.0			✓	PP		40 pcs.
2710-015	Ø 14.0 mm (inside)	1,500 mm	33.00	19.0			✓	PP		25 pcs.

65

## FASTENING PROFILE/ KLEMMPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2979-420	Ø 19.5 mm (inside)	420 mm	22.5	20.0			✓	PP		250 pcs.

66




## DOUBLE LOCK PROFILE/ DOPPELVERSCHLUSSPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
3012-000	with non-woven for foaming	1,200 mm	31.0	13.0	30.0	✓		PP		75 pcs.

67



## STICK PROFILE/ EINSTECKPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2371-000	counter-bar for 3012	1,200 mm	10.60	2.3			✓	PP		500 pcs.
2371-999	counter-bar for 3012	on rolls	10.60	2.3			✓	PP		500 m

### LEGEND


\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven



68



## PIPING CORD/ KUNSTSTOFFSCHNUR



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1471-021	with reinforcing threads, Ø 2.0 mm	on rolls	2.00	2.0			✓	PE/PA-threads		2,000 m
1471-022	with reinforcing threads, Ø 2.2 mm	on rolls	2.20	2.2			✓	PE/PA-threads		2,000 m
1471-025	with reinforcing threads, Ø 2.5 mm	on rolls	2.50	2.5			✓	PE/PA-threads		2,000 m
1471-030	with reinforcing threads, Ø 3.0 mm	on rolls	3.00	3.0			✓	PE/PA-threads		1,500 m
1471-035	with reinforcing threads, Ø 3.5 mm	on rolls	3.50	3.5			✓	PE/PA-threads		1,000 m
1471-040	with reinforcing threads, Ø 4.0 mm	on rolls	4.00	4.0		✓		PE/PA-threads		800 m
1471-050	with reinforcing threads, Ø 5.0 mm	on rolls	5.00	5.0			✓	PE/PA-threads		500 m
1471-060	with reinforcing threads, Ø 6.0 mm	on rolls	6.00	6.0			✓	PE/PA-threads		400 m

69



## PIPING CORD/ KUNSTSTOFFSCHNUR




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1550-030	hollow and soft, Ø 3.0 mm	on rolls	3.00	3.0		✓		PVC		1,500 m
1550-035	hollow and soft, Ø 3.5 mm	on rolls	3.50	3.5			✓	PVC		1,000 m
1550-040	hollow and soft, Ø 4.0 mm	on rolls	4.00	4.0		✓		PVC		800 m
1550-050	hollow and soft, Ø 5.0 mm	on rolls	5.00	5.0		✓		PVC		500 m
1550-060	hollow and soft, Ø 6.0 mm	on rolls	6.00	6.0			✓	PVC		400 m
1550-061	hollow and soft, Ø 6.0 mm	on rolls	6.00	6.0			✓	PVC		400 m
1550-070	hollow and soft, Ø 7.0 mm	on rolls	7.00	7.0			✓	PVC		300 m
1550-080	hollow and soft, Ø 8.0 mm	on rolls	8.00	8.0			✓	PVC		100 m
1550-100	hollow and soft, Ø 10.0 mm	on rolls	10.00	10.0			✓	PVC		150 m

70



## PIPING CORD/ KUNSTSTOFFSCHNUR




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1555-025	solid and soft, Ø 2.5 mm	Ø 2.5 mm on rolls	2.50	2.5			✓	PVC		2,000 m
1555-030	solid and soft, Ø 3.0 mm	Ø 3.0 mm on rolls	3.00	3.0			✓	PVC		1,500 m
1555-035	solid and soft, Ø 3.5 mm	Ø 3.5 mm on rolls	3.50	3.5			✓	PVC		1,000 m
1555-040	solid and soft, Ø 4.0 mm	Ø 4.0 mm on rolls	4.00	4.0		✓		PVC		800 m
1555-050	solid and soft, Ø 5.0 mm	Ø 5.0 mm on rolls	5.00	5.0			✓	PVC		500 m
1555-051	solid and soft, Ø 5.0 mm	Ø 5.0 mm on rolls	5.00	5.0			✓	PVC		500 m
1555-060	solid and soft, Ø 6.0 mm	Ø 6.0 mm on rolls	6.00	6.0			✓	PVC		400 m

71



## TRANSPARENT PIPING CORD/ TRANSPARENTE SCHNUR




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2160-030	medium-soft and hollow, Ø 3.0 mm	on rolls	3.00	3.0			✓	PVC		1,500 m
2160-035	medium-soft and hollow, Ø 3.5 mm	on rolls	3.50	3.5			✓	PVC		1,000 m
2160-040	medium-soft and hollow, Ø 4.0 mm	on rolls	4.00	4.0		✓		PVC		800 m
2160-050	medium-soft and hollow, Ø 5.0 mm	on rolls	5.00	5.0		✓		PVC		500 m
2160-060	medium-soft and hollow, Ø 6.0 mm	on rolls	6.00	6.0			✓	PVC		400 m
2161-040	medium-soft and hollow, Ø 4.0 mm	on rolls	4.00	4.0		✓		PVC		800 m

72



## NON-WOVEN PIPING CORD/ VLIESSCHNUR




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6103-025	Ø 2.5 mm	on rolls	2.50	2.5			✓	CO		2,000 m
6103-030	Ø 3.0 mm	on rolls	3.00	3.0			✓	CO		1,000 m
6103-031	Ø 3.0 mm	on rolls	3.00	3.0			✓	CO		1,500 m
6103-032	Ø 3.0 mm	on rolls	3.00	3.0			✓	CO		800 m
6103-040	Ø 4.0 mm	on rolls	4.00	4.0		✓		CO		600 m
6103-041	Ø 4.0 mm	on rolls	4.00	4.0			✓	CO		800 m
6103-050	Ø 5.0 mm	on rolls	5.00	5.0			✓	CO		500 m
6103-060	Ø 6.0 mm	on rolls	6.00	6.0			✓	CO		400 m
6103-070	Ø 7.0 mm	on rolls	7.00	7.0			✓	CO		500 m
6103-080	Ø 8.0 mm	on rolls	8.00	8.0			✓	CO		400 m
6103-100	Ø 10.0 mm	on rolls	10.00	10.0			✓	CO		300 m

73



## NON-WOVEN PIPING CORD/ VLIESSCHNUR



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6110-040	Ø 4.0 mm	on rolls	4.00	4.00			✓	CO		500 m
6110-050	Ø 5.0 mm	on rolls	5.00	5.00			✓	CO		500 m

## LEGEND

\* on request  
IP individual production  
STOCK item on stock  
PU production unit


All dimensions in mm, without non-woven



74



## SINGLE CLIP/ EINZELCLIP




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4000-020	for zigzag spring attachment on wooden frames	20	25.00	10.0		✓		PP		5,000 pcs.

75



## SINGLE CLIP/ EINZELCLIP




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4001-020	for zigzag spring attachment on wooden frames	20	29.00	10.0			✓	PP		5,000 pcs.

76



## CLIP STRIP (on the frame)/ SCHARNIERLEISTE (aufliegend)



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4070-000	clip distance: 70 mm	on rolls	25.00	9.7			✓	PP		2,600 pcs.
4075-000	clip distance: 75 mm	on rolls	25.00	9.7			✓	PP		2,600 pcs.
4080-000	clip distance: 80 mm	on rolls	25.00	9.7			✓	PP		2,500 pcs.
4085-000	clip distance: 85 mm	on rolls	25.00	9.7		✓		PP		2,300 pcs.
4090-000	clip distance: 90 mm	on rolls	25.00	9.7			✓	PP		2,200 pcs.
4095-000	clip distance: 95 mm	on rolls	25.00	9.7			✓	PP		2,100 pcs.
4100-000	clip distance: 100 mm	on rolls	25.00	9.7		✓		PP		2,000 pcs.
4105-000	clip distance: 105 mm	on rolls	25.00	9.7			✓	PP		2,000 pcs.
4110-000	clip distance: 110 mm	on rolls	25.00	9.7		✓		PP		2,000 pcs.
4120-000	clip distance: 120 mm	on rolls	25.00	9.7		✓		PP		2,000 pcs.
4135-000	clip distance: 135 mm	on rolls	25.00	9.7		✓		PP		2,000 pcs.

77



## SINGLE STRIP/ EINZELCLIP




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4820-000	single clip (left)	on rolls	22.50	10.5			✓	PP		2,000 pcs.
4820-001	single clip (right)	on rolls	22.50	10.5			✓	PP		2,000 pcs.

78



## SINGLE CLIP/ EINZELCLIP




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4830-002	single clip (left and right)	20	26.50	11.5			✓	PP		5,000 pcs.

79



## CLIP STRIP (in the frame)/ SCHARNIERLEISTE (aufliegend)



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4870-070	clip distance: 70 mm	on rolls	35.50	11.3			✓	PP		2,100 pcs.
4870-080	clip distance: 80 mm	on rolls	35.50	11.3		✓		PP		1,800 pcs.
4870-085	clip distance: 85 mm	on rolls	35.50	11.3		✓		PP		1,700 pcs.
4870-090	clip distance: 90 mm	on rolls	35.50	11.3		✓		PP		1,600 pcs.
4870-095	clip distance: 95 mm	on rolls	35.50	11.3			✓	PP		1,500 pcs.
4870-100	clip distance: 100 mm	on rolls	35.50	11.3		✓		PP		1,500 pcs.
4870-110	clip distance: 110 mm	on rolls	35.50	11.3		✓		PP		1,300 pcs.
4870-120	clip distance: 120 mm	on rolls	35.50	11.3		✓		PP		1,200 pcs.

80



## SINGLE CLIP/ EINZELCLIP



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4872-020	for zigzag spring attachment in metal and wooden frames	20	34.50	10.7			✓	PP		4,000 pcs.

81



## SINGLE CLIP/ EINZELCLIP



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4873-020	for zigzag spring attachment,	20	40.00	10.7			✓	PP		1,000 pcs.
4873-095	clip distance: 95 mm	on rolls	41.00	10.7			✓	PP		4,000 pcs.

### LEGEND

\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven






82



## CLIP STRIP PLUS/ CLIP STRIP PLUS



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4900-100	for zigzag spring attachment in and on the frame, distance: 100 mm	on rolls	31.3	11.0		✓		PP		2,200 pcs.
4900-120	for zigzag spring attachment in and on the frame, distance: 120 mm	on rolls	31.3	11.0		✓		PP		2,200 pcs.

83



## T-PROFILE/ T-PROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1240-201	for 34 mm protrusion	2010	38.00	10.0			✓	PE		10 pcs.
1241-120	for 34 mm protrusion	1200	50.00	15.0			✓	PE		10 pcs.

84



## EDGE TRIM/ BOURLÉ




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1445-119	with flange for stapling	on rolls	21.60	11.0	10.6	✓		PE		75 pcs.
1445-149	with flange for stapling	on rolls	26.00	14.0	12.0	✓		PE		50 pcs.
1445-179	with flange for stapling	on rolls	30.00	17.0	13.0		✓	PE		50 pcs.
1445-909	with flange for stapling	on rolls	20.00	9.0	11.0	✓		PE		100 pcs.
1447-508	with flange for stapling	on rolls	15.00	5.0	10.0		✓	PVC		200 pcs.
1447-509	with flange for stapling	on rolls	15.00	5.0	10.0	✓		PVC		200 pcs.
1448-149	with flange for stapling	on rolls	23.50	10.0	10.5		✓	PE		75 pcs.
1529-110	with flange for stapling	on rolls	20.00	11.0	9.0		✓	PE		100 pcs.

85



## PIPING/ KEDER



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2109-050	Ø 5 mm	on rolls	15.50	5.0	10.5	✓		PE		200 m
2109-051	punched plastic flange for light radii	on rolls	15.50	5.0	10.5	✓		PE		200 m


86

STICK PROFILE/  
STECKPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2113-110	23.00 x 11.0 mm	on rolls	23,00	11,0	12,0	✓		PE		100 m
2113-140	27.50 x 14.00 mm	on rolls	27,50	14,0	13,5		✓	PE		100 m

87



EDGE TRIM  
SCHLAUCHKEDER



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2114-065	Ø 6.5 mm	on rolls	17.50	6.5	11.0	✓		PE		200 m
2114-090	Ø 9.0 mm	on rolls	20.00	9.0	11.0	✓		PE		100 m
2114-110	Ø 10.0 mm	on rolls	23.50	10.0	10.0		✓	PE		75 m

88



FLAT STRIP/  
FLACHBAND



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2116-999	as soft padding	on rolls	10.50	5.0			✓	PE		200 m

LEGEND

- \* on request
- IP individual production
- STOCK item on stock
- PU production unit

All dimensions in mm, without non-woven





## FLAT STRIP/ FLACHBAND



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1023-109	to plug in grooves	on rolls	10.00	3.0		✓		PP/rubber	■	200 m
1023-108	to plug in grooves	on rolls	10.00	3.0			✓	PP/rubber	■	200 m
1023-159	to plug in grooves	on rolls	15.00	3.0		✓		PP/rubber	■	100 m
1032-999	to plug in grooves	on rolls	14.80	2.2			✓	PE	■	400 m
1037-002	to plug in grooves	on rolls	10.00	1.5			✓	PE	■	500 m
1037-999	to plug in grooves	on rolls	10.00	2.0		✓		PE	■	500 m
1062-999	to plug in grooves	on rolls	7.00	3.0		✓		PE	■	200 m
1020-001	to plug in grooves	on rolls	10.00	3.0		✓		PE	■	200 m
1024-102	to plug in grooves	on rolls	10.00	1.9		✓		PP/rubber	■	500 m
2006-001	to plug in grooves	on rolls	12.00	2.5			✓	PE	■	1,000 m
2006-996	to plug in grooves	on rolls	12.00	4.0			✓	PE	■	400 m
2006-997	to plug in grooves	on rolls	12.00	3.0		✓		PE	■	500 m
2006-998	to plug in grooves	on rolls	12.00	2.0			✓	PE	■	500 m
2034-001	to plug in grooves	on rolls	12.00	2.0			✓	PE	■	500 m
2035-001	to plug in grooves	on rolls	12.00	2.0		✓		PE	■	500 m
2707-113	to plug in grooves	on rolls	11.00	1.0		✓		PP	■	1,000 m
3150-350	to plug in grooves	on rolls	35.00	2.0			✓	PP	■	50 m
3150-359	to plug in grooves	on rolls	35.00	2.7		✓		PP	□	50 m
3150-400	to plug in grooves	on rolls	40.00	2.0		✓		PP	■	50 m
3150-403	to plug in grooves	on rolls	40.00	1.8		✓		PP	■	50 m
3150-500	to plug in grooves	on rolls	50.00	2.7		✓		PP	■	50 m
3150-504	to plug in grooves	on rolls	50.00	2.0		✓		PP	■	50 m
3150-600	to plug in grooves	on rolls	60.00	2.7		✓		PP	■	50 m
3150-603	to plug in grooves	on rolls	60.00	1.5		✓		PP	■	50 m
3150-999	to plug in grooves	on rolls	50.00	2.7			✓	PP/rubber	■	50 m
3209-999	to plug in grooves	on rolls	9.00	1.5			✓	PP/rubber	■	850 m
3210-920	to plug in grooves	on rolls	10.00	2.0		✓		PP/rubber	■	500 m
3210-A999	to plug in grooves	on rolls	10.00	2.0			✓	PP/rubber	■	500 m
3212-001	to plug in grooves	on rolls	12.00	3.0			✓	PP/rubber	■	500 m
3302-999	to plug in grooves	on rolls	9.00	1.0		✓		PP	■	1,500 m
3308-999	to plug in grooves	on rolls	8.00	1.1			✓	PP	■	800 m
3309-999	to plug in grooves	on rolls	7.00	1.7			✓	PP	■	500 m
3310-920	to plug in grooves	on rolls	10.00	2.0		✓		PP	■	500 m
3310-922	to plug in grooves	on rolls	10.00	2.2		✓		PP	■	500 m
3310-998	to plug in grooves	on rolls	10.00	1.5			✓	PP	■	500 m
3310-A001	to plug in grooves	on rolls	10.00	1.5			✓	PP/rubber	■	500 m
3310-A002	to plug in grooves	on rolls	11.20	2.2			✓	PP/rubber	■	500 m
3310-A917	to plug in grooves	on rolls	10.00	1.7			✓	PP/rubber	■	500 m
3311-999	to plug in grooves	on rolls	11.50	1.0			✓	PP	■	500 m
3312-998	to plug in grooves	on rolls	12.00	1.5			✓	PP	■	750 m
3312-999	to plug in grooves	on rolls	12.00	2.0		✓		PP	■	500 m
3313-080	to plug in grooves	80	13.00	1.7			✓	ABS	■	6,000 pcs.
3315-992	to plug in grooves	on rolls	15.00	2.0			✓	PP/rubber	■	300 m
3327-999	to plug in grooves	on rolls	27.00	1.0			✓	PP	■	300 m



## STAPLING TAPE/ KLAMMERSTREIFEN



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
3074-100	with guide grooves for safe stapling	10.00	0.8			✓		PP	□	1,000 m
3074-101	with guide grooves for safe stapling	10.00	0.8				✓	PP	■	1,000 m
3074-120	with guide grooves for safe stapling	12.00	1.0			✓		PP	□	700 m
3074-150	with guide grooves for safe stapling	15.00	1.2			✓		PP	□	500 m
3074-180	with guide grooves for safe stapling	18.00	1.2				✓	PP	□	300 m
3074-200	with guide grooves for safe stapling	20.00	1.2			✓		PP	□	300 m

92



## TAPERED EDGE TRIM/ KEILKEDER



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
3077-300	30.0 x 2.6 mm	on rolls	30.00	2.6		✓		PP		100 m

93



## STAPLING TAPE/ KLAMMERSTREIFEN



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
3078-250	with guide grooves for safe stapling	on rolls	25.00	1.5		✓		PP		250 m

94



## EDGE PROTECTION/ KANTENSCHUTZ



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
3109-110	as soft padding	on rolls	27.00	6.0		✓		PE		100 m
3109-115	as soft padding	on rolls	27.00	6.0			✓	PE		150 m
3110-110	as soft padding, punched	on rolls	27.00	6.0			✓	PE		100 m
3110-115	as soft padding, punched	on rolls	27.00	6.0			✓	PE		150 m

95



## U-PROFILE/ U-PROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1003-000	for clipping from fabrics	1,000	15.00	19.0			✓	PP		40 m
1006-000	for clipping from fabrics	2,000	20.00	30.5			✓	PP		80 m


## LEGEND

\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven



96

## ANGLE PROFILE/ WINKELPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1110-000	inside dimension: 16.0 mm	1,200	16.00	-			✓	PVC		180 m

97



## STAPLE-COVER PROFILE/ KLAMMERABDECKPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1070-143	make staples invisible	on rolls	14.00	-		✓		PVC		300 m
1070-201	make staples invisible	on rolls	20.00	-			✓	PVC		100 m

98



## CHAIR EDGE PROFILE/ STUHLKANTENPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1092-100	17.0 x 19.5 mm	on rolls	17.00	19.5			✓	PVC		50 m

99


## BI-COLOR CHAIR PROFILE/ BI-COLOR-STUHLPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1125-003	for pipings	on rolls	14.00	-			✓	PVC		100 m

100

## COLOR BORDER/ FARB-BORTE




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1129-003	5.0 x 5.0 mm	on rolls	5.00	5.0			✓	PVC		500 m

101




## GROOVE PROFILE/ NUTPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1156-147	for attachment on wooden frames	1,020	13.50	7.0			✓	PVC		240 m

102



## PIPING/ KEDER



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1365-030	filigree, Ø 3.0 mm	on rolls	10.50	3.0	7,5		✓	PVC		300 m
1365-040	filigree, Ø 4.0 mm	on rolls	11.50	4.0	7,5		✓	PVC		300 m
1366-045	filigree, Ø 4.5 mm	on rolls	19.50	4.5	15,0		✓	PVC		200 m

103



## PIPING/ KEDER




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1373-031	with plastic flange, Ø 3.0 mm	on rolls	12.00	3.0	9.0		✓	PE		250 m

### LEGEND


\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven



104



## UPHOLSTERY SLAT/ POLSTERLEISTE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2027-001	for metal	on rolls	20.00	10.0			✓	PE		100 m

105




## UPHOLSTERY SLAT/ POLSTERLEISTE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2027-003	for metal, Ø 18 mm	on rolls	18.00	10.0			✓	PE		100 m

106

## UPHOLSTERY SLAT/ POLSTERLEISTE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2027-004	for metal	1,200	20.00	8.0			✓	PE		144 m

107

## UPHOLSTERY SLAT/ POLSTERLEISTE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2027-006	for metal	1,200	25.00	18.0			✓	PE		60 m


108

## UPHOLSTERY SLAT/ POLSTERLEISTE




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2027-007	for metal	1,200	25.00	20.0			✓	PE		60 m

109



## UPHOLSTERY SLAT/ POLSTERLEISTE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2027-009	for metal	on rolls	20.00	10.0		✓		PE		100 m


110

## UPHOLSTERY SLAT/ POLSTERLEISTE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2027-120	for metal	1,200	20.00	10.0			✓	PE		75 m
2027-999	for metal	on rolls	20.00	8.0			✓	PE		100 m

111



## EDGE LOCK PROFILE/ KANTENVERSCHLUSSPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2288-000	with plastic flange for stapling	1,200	22.10	11.0			✓	PP		100 pcs.


### LEGEND

\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven





112



## ZIP PROFILE/ REIßVERSCHLUSSPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2634-600	for interlocking	1,200	16.00	3.0			✓	PP		500 pcs.

113



## HOOK PROFILE/ HAKENPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2461-000	with barb	1,200	18.00	8.1			✓	PP		150 pcs.

114



## HOOK STRIP/ HAKENLEISTE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2542-001	counter-bar for clip profiles	1,200	11.50	2.5			✓	PP		400 pcs.
2542-999	counter-bar for clip profiles	on rolls	11.50	2.5			✓	PP		800 m

115




## HOOK STRIP/ HAKENLEISTE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2603-000	counter-bar for 2651	1,200	16.50	3.2			✓	PP		300 pcs.
2603-999	counter-bar for 2651	on rolls	16.50	3.2			✓	PP		350 m

116



## HOOK STRIP/ HAKENLEISTE




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2605-000	counter-bar for 2651	1,200	16.50	3.2			✓	PP		300 pcs.

117



## HOOK PROFILE/ HAKENPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2630-000	with plastic flange	1,200	16.80	4.5			✓	PP		350 pcs.

118



## HOOK PROFILE/ HAKENPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2652-000	with non-woven flange and barb	1,200	65.00	8.4	40.0		✓	PP		100 pcs.

119



## CLIP PROFILE/ CLIP PROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2653-000	with barb	1,200	21.00	9.0			✓	PP		100 pcs.

### LEGEND

\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven



120



## FASTENING PROFILE/ KLEMMPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2695-000	with barb	1,200	21.50	8.2		✓		PP	■	150 pcs.

121



## LOCK PROFILE/ VERSCHLUSSPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2704-120	with guide grooves	1,200	22.00	7.2		✓		PP	■	150 pcs.
2704-120C	with guide grooves and cut-ins	1,200	22.00	7.2			✓	PP	■	150 pcs.

122



## HOOK STRIP/ HAKENLEISTE




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2711-000	for 2704-120	1,200	16.50	3.0		✓		PP	■	375 pcs.

123




## HOOK STRIP/ HAKENLEISTE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2602-000	with ball	1,200	20.50	3.2		✓		PP	■	300 pcs.

124




## CLIP PROFILE/ CLIP PROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2651-000	with barb	1,200	25.00	9.0		✓		PP	■	100 pcs.

125




## CLIP PROFILE/ CLIP PROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2655-000	with barb	1,200	25.00	9.0		✓		PP	■	75 pcs.

126




## HOOK STRIP/ HAKENLEISTE




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2487-000	Ø 3,2 mm ball	1,200	20.50	3.2			✓	PP	■	300 m
2487-002	Ø 3,2 mm ball	1,500	20.50	3.2			✓	PP	■	300 m

127



## HOOK STRIP/ HAKENLEISTE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2297-000	counter-bar for 2298, Ø 2,6 mm ball	1,200	20.50	2.2		✓		PP	■	300 pcs.

### LEGEND


\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven



128




## LOCK PROFILE/ VERSCHLUSSPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2298-000	with ball	1,200	24.00	7.2		✓		PP		150 pcs.
2298-000C	with ball and cut-ins	1,200	24.00	7.2			✓	PP		150 pcs.
2298-001	with ball	1,200	24.00	7.2		✓		PP		150 pcs.

129



## LOCK PROFILE/ VERSCHLUSSPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2271-000	with barb	1,200	18.00	4.6		✓		PP		250 pcs.

130




## HOOK PROFILE/ HAKENPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2916-000	with barb	1,200	14.00	4.5		✓		PP		250 pcs.

131



## STICK PROFILE/ STECKPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2834-998	for straight tuftings	on rolls	12.00	10.6			✓	PE		150 m
2834-999	for straight tuftings	on rolls	12.00	10.6			✓	PE		150 m

132



## STICK PROFILE/ STECKPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2835-120	for straight tuftings	1,200	8.80	8.9		✓		PP		150 pcs.
2835-998	with cut-ins for light radii	on rolls	8.80	8.9		✓		PP		250 m
2835-999	for straight tuftings	on rolls	8.80	8.9		✓		PP		250 m

133



## CLIP PROFILE/ CLIP PROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2040-000	with plastic flange and cut-ins	1,200	17.00	8.9	✓			PP/rubber		100 pcs.
2040-000C	with plastic flange and cut-ins	1,200	17.00	8.9		✓		PP/rubber		100 pcs.

134




## STICK PROFILE/ STECKPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2041-000	with plastic flange	1,200	16.90	9.2			✓	PP/rubber		150 pcs.

135



## QUADRUPLE PLUG-IN PROFILE/ VIERFACH-STECKPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2867-000	for two fabric panels	1,200	23.00	6.0			✓	PE		120 pcs.

### LEGEND


\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven




136




## STICK PROFILE/ EINSTECKPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2867-500	counter-bar for 2867-000	on rolls	15.20	6.8			✓	PE		200 m

137

## STICK PROFILE/ EINSTECKPROFIL






NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2866-002	for 2867-500	on rolls	14.50	-			✓	PE		200 m

138



## STICK PROFILE/ STECKPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2866-500	for straight tuffings	on rolls	9.00	8,2			✓	PE		200 m
2866-600	for straight tuffings, with 9 mm tape	on rolls	9.00	8,2			✓	PE		200 m

139

## ANGLE PROFILE/ WINKELPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
3060-000	for edge protection	1,200	12.00	7.0			✓	PP		250 m

140



## PLUG-IN PROFILE/ STECKPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1013-000	with surface curvature for 3 mm grooves	1,200	20.00	-			✓	PE		150 pcs.
1107-150	with surface curvature for 4 mm grooves	1,500	19.00	11.3			✓	PVC		100 pcs.

141

## TOP-CLAMP PROFILE/ OBERFLÄCHEN-KLAMMERPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1731-045	width: 11 mm	on rolls	11.00	-			✓	PVC		150 m

142



## STICK PROFILE/ EINSTECKPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1905-000	with barb for metal grooves	1,200	12.00	6.2			✓	PP/rubber		250 pcs.

143



## LOCK PROFILE/ VERSCHLUSSPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1939-000	with plastic flange for stapling	1,200	17.00	8.4			✓	PP/rubber		200 pcs.

## LEGEND

*	on request
IP	individual production
STOCK	item on stock
PU	production unit
All dimensions in mm, without non-woven	





144



## HOOK STRIP/ HAKENLEISTE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2023-500	for 2023-L000, for fabrics	on rolls	14.50	2.9		✓		PP		500 m
2023-501	for 2023-L000, for leather	on rolls	15.50	2.9		✓		PP		500 m
2023-501C	for 2023-L000, with cut-ins	on rolls	15.50	2.9			✓	PP		500 m
2023-506	for 2023-M000, for leather	on rolls	11.50	1.8		✓		PP		500 m
2023-510	for 2023-M000, for fabrics	on rolls	12.50	1.8		✓		PP		500 m

145



## STICK PROFILE/ EINSTECKPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1630-000	with barb for metal grooves	1,200	15.50	8.0			✓	PP		200 pcs.

146



## STICK PROFILE/ EINSTECKPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2660-000	for clip profiles	1,200	15.00	3.5			✓	PP		300 pcs.

147

## STICK PROFILE/ STECKPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2021-000	for clip profiles	on rolls	15.00	4.5			✓	PP		200 m

148




## DOUBLE LOCK PROFILE/ DOPPELVERSCHLUSSPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2023-L000	for straight tuftings	2,000	34.00	8.8		✓		PP		50 pcs.
2023-L100	cut-ins on the back side	2,000	34.00	8.8		✓		PP		50 pcs.
2023-L200	cut-ins on the upper side	2,000	34.00	8.8			✓	PP		50 pcs.
2023-L400	with non-woven	1,200	34.00	8.8			✓	PP		50 pcs.

149




## DOUBLE LOCK PROFILE/ DOPPELVERSCHLUSSPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2023-M000	for straight tuftings	1,200	28.50	6.0			✓	PP		50 pcs.
2023-M100	cut-ins on the back side	1,200	28.50	6.0			✓	PP		50 pcs.
2023-M200	cut-ins on the upper side	1,200	28.50	6.0			✓	PP		50 pcs.
2023-M300	for straight tuftings, with non-woven	1,200	28.50	6.0			✓	PP		50 pcs.
2023-M400	cut-ins on the upper side, with non-woven	1,200	28.50	6.0		✓		PP		50 pcs.
2023-M500	cut-ins on the front side, 29 mm non-woven	1,200	28.50	6.0			✓	PP		50 pcs.
2023-M600	cut-ins on the upper side, 60 mm non-woven	1,200	28.50	6.0			✓	PP		50 pcs.

150



## DOUBLE LOCK PROFILE/ DOPPELVERSCHLUSSPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
2023-S000	for straight tuftings	1,200	28.50	5.6		✓		PP		50 pcs.
2023-S100	cut-ins on the back side	1,200	28.50	5.6			✓	PP		50 pcs.
2023-S200	cut-ins on the upper side	1,200	28.50	5.6			✓	PP		50 pcs.
2023-S300	for straight tuftings, with non-woven	1,200	28.50	5.6			✓	PP		50 pcs.
2023-S400	cut-ins on the upper side, with non-woven	1,200	28.50	5.6		✓		PP		50 pcs.
2023-S500	cut-ins on the front side, 29 mm non-woven	1,200	28.50	5.6			✓	PP		50 pcs.
2023-S600	cut-ins on the upper side, 29 mm non-woven	1,200	28.50	5.6			✓	PP		50 pcs.

## LEGEND

*	on request
IP	individual production
STOCK	item on stock
PU	production unit
All dimensions in mm, without non-woven	



151



## TACK STRIP/ NAGELSTREIFEN

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6064-015	distance: 40 mm	1,000	10.00	17.0		✓		steel		500 m


152



## METAL BAND/ METALLSTREIFEN

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6078-000	for slight radii	1,500	10.00	9.0		✓		steel		400 m
6079-000	for slight radii	1,500	10.00	9.0		✓		steel		400 m

153



## FASTENING PROFILE/ KLEMMPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
3037-000	with non-woven	1,200	19.00	8.1	20.0		✓	PP		100 pcs.

154



## TRIPLE CLIP PROFILE/ 3ER CLIPLEISTE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4370-011	for stapling	270	22.00	15.5		✓		PP		500 pcs.

155



CLIPFIX SINGLE/  
CLIPFIX SINGLE



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4370-031	for TieDowns	50	30.00	14.4		✓		POM	■	3,000 pcs.

156



CLIPFIX/  
CLIPFIX



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4370-032	short, distance: 80 mm	400	46.00	13.6		✓		PP	■	120 pcs.
4370-033	long, distance: 80 mm	800	46.00	13.6		✓		PP	■	40 pcs.
4370-034	extra long, distance: 80 mm	1200	46.00	13.6		✓		PP	■	40 pcs.

157




SINGLE CLIP/  
EINZELCLIP



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
4370-036	board: 30 x 40 mm	40	30.00	-		✓		POM	■	5,000 pcs.

158



NON-WOVEN/  
VLIESSTREIFEN



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
5980-0001	with hole punchings, for clip 4370-036	on rolls	80.00	-			✓	PP	■	200 m

LEGEND


- \* on request
  - IP individual production
  - STOCK item on stock
  - PU production unit
- All dimensions in mm, without non-woven



159



## DECORATIVE PROFILE/ DEKORATIONSPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1039-110	with flange	on rolls	10.50	-		✓		PVC		150 m
1039-111	with flange	on rolls	10.50	-			✓	PVC		150 m

160



## DECORATIVE PROFILE/ DEKORATIONSPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1040-001	with flange	on rolls	10.50	-			✓	PVC		150 m
1040-110	with flange	on rolls	10.50	-			✓	PVC		150 m
1040-120	with flange	on rolls	12.00	-			✓	PVC		200 m

161



## DECORATIVE PROFILE/ DEKORATIONSPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1041-110	semi-circular	on rolls	10.50	-			✓	PVC		200 m
1041-111	semi-circular	on rolls	10.50	-			✓	PVC		200 m

162



## DECORATIVE PROFILE/ DEKORATIONSPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1042-070	semi-circular	on rolls	7.00	-			✓	PVC		400 m
1042-110	semi-circular	on rolls	11.00	-			✓	PVC		250 m

163




## DECORATIVE PLUG-IN PROFILE/ DEKORATIOS-STECKPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1043-001	Ø 9,2 mm	on rolls	9.20	-			✓	PVC		200 m
1043-100	Ø 9,2 mm	on rolls	9.20	-			✓	PVC		200 m
1044-100	Ø 9,2 mm	on rolls	9.20	-			✓	PVC		200 m

164



## DECORATIVE PROFILE/ DEKORATIONSPROFIL




NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1050-070	self-adhesive	on rolls	7.00	-			✓	PVC		300 m
1050-110	self-adhesive	on rolls	10.50	-			✓	PVC		250 m
1050-111	self-adhesive	on rolls	10.50	-			✓	PVC		250 m

165



## DECORATIVE PROFILE/ DEKORATIONSPROFIL



NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1051-070	self-adhesive	on rolls	7.00	-			✓	PVC		300 m
1051-110	self-adhesive	on rolls	10.50	-		✓		PVC		250 m
1051-111	self-adhesive	on rolls	10.50	-			✓	PVC		250 m
1051-112	self-adhesive	on rolls	10.50	-		✓		PVC		250 m
1052-999	self-adhesive	on rolls	20.00	-			✓	PVC		75 m

## LEGEND

\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven



166



## STAPLE RAISER/ KLAMMERHEBER

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6403-000	for easy extraction of staples	-	-	-		✓		steel		1 pcs.

167

## SPARE BLADE/ ERSATZKLINGE

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6403-001	for staple raiser 6403-000	-	-	-			✓	steel		1 pcs.

168



## STAPLE RAISER PLIERS/ KLAMMERHEBERZANGE

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6405-000	with curved handles and spring	-	-	-		✓		steel		1 pcs.


169

## SPARE PART SPRING/ ERSATZFEDER

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6405-001	for 6405-000 staple raiser	-	-	-			✓	steel		1 pcs.


170

## PROTECTION COVER/ SCHUTZKAPPE

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6405-002	for 6405-000 staple raiser	-	-	-			✓	PP		1 pcs.


171

## PLASTIC SPARE PART/ KUNSTSTOFFERSATZTEIL

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6406-000	pliers for clips-strips	-	-	-			✓	steel		1 pcs.

172


## COMBI-SCISSORS/ KOMBISCHERE

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6407-000	combi-scissors	-	-	-			✓	steel		1 pcs.

173



## ANVIL SCISSORS/ AMBOSS-SCHERE

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6407-001	infinitely adjustable handle width	-	-	-		✓		steel		1 pcs.

### LEGEND


\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven





174


## NOTCHING PLIERS/ AUSKLINGZANGE

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6411-001	for effortless notching cut-outs	-	-	-			✓	steel		1 pcs.

175




## CUTTER/ SCHNEIDGERÄT

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6412-000	for cutting zigzag springs	-	-	-			✓	steel		1 pcs.


176




## BENDING DEVICE/ BIEGGERÄT

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6412-001	for bending zigzag springs	-	-	-			✓	steel		1 pcs.

177



## SEWING DEVICE/ NÄHVORRICHTUNG

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6421-001	for 3302, 2707 and 2708	-	-	-			✓	stainless steel		1 pcs.

178



## SEWING DEVICE/ NÄHVORRICHTUNG

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6421-002	for 1905, 2655 and 2704	-	-	-			✓	stainless steel		1 pcs.

179



## SEWING DEVICE/ NÄHVORRICHTUNG

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6421-003	for 2023-501, 2371, 2602 and 2707	-	-	-			✓	stainless steel		1 pcs.

180



## SEWING DEVICE/ NÄHVORRICHTUNG

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6421-004	for 2785	-	-	-			✓	stainless steel		1 pcs.

181



## SWIVEL JOINT/ DREHGELENK

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6421-006	for Dürkopp Adler, for 2792	-	-	-			✓	steel		1 pcs.


### LEGEND

\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven




182

## SWIVEL JOINT/ DREHGELENK

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6421-U006	universal, incl. assembly material	-	-	-			✓	steel		1 pcs.




183

## SEWING DEVICE/ STOFFFÜHRUNG

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6421-012	sewing device fabric feeding	-	-	-			✓	steel		1 pcs.

184




## SEWING DEVICE/ NÄHVORRICHTUNG

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6480-040	for 2140-041	-	-	-			✓	steel		1 pcs.
6480-050	for 2140-051	-	-	-			✓	steel		1 pcs.
6480-070	for 2140-071	-	-	-			✓	steel		1 pcs.

185



## TUFTING NEEDLE/ ABHEFTNADEL

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6443-000	for tufting tapes and toggles	200	-	-		✓		steel		1 pcs.
6443-200	for tufting tapes and toggles, strongw	200	-	-		✓		steel		1 pcs.
6443-300	for tufting tapes and toggles	300	-	-		✓		steel		1 pcs.

186

## POINT OF A NEEDLE/ NADELSPITZE

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6443-001	for tufting needle 6443-000	-	-	-			✓	steel		1 pcs.


187

## NEEDLE'S PIPE/ NADELHÜLLE

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6443-002	for tufting needle 6443-000	-	-	-			✓	steel		1 pcs.

188

## SPARE NEEDLE/ ERSATZNADEL

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6443-005	for tufting needle 6443-000	-	-	-			✓	steel		1 pcs.

189

## TUFTING NEEDLE/ ABHEFTNADEL

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6444-000	with wood handle	-	-	-		✓		steel/wood		1 pcs.

### LEGEND

\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven




190

## SPARE NEEDLE/ ERSATZNADEL

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6444-001	for tufting needle	-	-	-			✓	steel		1 pcs.

191



## MIDDLE STRIP/ MITTELSTEG

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6444-004	for tufting needle 6444-001	-	-	-			✓	steel		1 pcs.

192




## SINGLE TUFTING TOOL/ PUNKTABHEFTWERKZEUG

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6448-000	Single tufting tool 40	-	-	-		✓		steel		1 pcs.
6449-000	Single tufting tool 60	-	-	-			✓	steel		1 pcs.

193



## DEPTH STOP/ TIEFENANSCHLAG

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6448-100	for 6448-000, 6449-000	-	-	-		✓		steel		1 pcs.

194

## WOODEN WEB STRETCHER/ GURTSPANNER

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6506-000	for seat webbing	-	-	-			✓	wood		1 pcs.

195



## WORK TABLE/ ARBEITSTISCH

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
8310-000	Work table Vario 90	1,400	66.00	-			✓	steel		1 pcs.
8320-000	Work table Vario 100	1,800	66.00				✓	steel		1 pcs.
8330-000	Work table Smartline	2,000	70.00				✓	steel		1 pcs.

196

## AIRGUN/ LUFTDRUCK

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
8510-000	Airgun	-	-	-			✓			1 pcs.

197



## SILICONE SPRAY/ SILIKONSPRAY

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
6041-000	tin à 400 ml	-	-	-		✓	-			12 pcs.

### LEGEND

\* on request  
 IP individual production  
 STOCK item on stock  
 PU production unit  
 All dimensions in mm, without non-woven



198

CLIP PROFILE/  
CLIP PROFIL

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1712-000	for cushion	1,200	27.5	6.6		✓		PP	■	150 pcs.

199

STICK PROFILE/  
EINSTECKPROFIL

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1711-999	counter-bar for 1712-000	1,200	22.0	3.3		✓		PP	■	300 m

200

STICK PROFILE/  
EINSTECKPROFIL

NO.	DESCRIPTION / ADDITIONAL INFO	L	W	H	FLANGE	STOCK	IP	MATERIAL	COLOUR	PU
1711-000	counter-bar for 1712-000, with cut-ins	on rolls	22.0	3.3		✓		PP	■	300 pcs.

**OKE Kunststofftechnik GmbH & Co. KG**  
Am Willersberg 231 / 98663 Ummerstadt / GERMANY

T +49 36871/274-0  
F +49 36871/274-19  
info@oke.de

**OKE.DE**